

## All the essentials

The InFocus IN105 offers all of the essential functions and features presenters need in an affordable, reliable projector. It's easy to use and projects high-quality images every time thanks to the true-to-life colours of Texas Instruments DLP® technology with InFocus BrilliantColor™ implementation.

- **3000 lumens** and up to **UXGA resolution** for stunning presentations
- **Multiple computer inputs** provide easy ways to connect
- **Filter-free design** for less maintenance and 24/7 operation
- **Compact size** and light weight for easy mobility
- **High quality design** is backed by a 5-year limited warranty



### Bright and Brilliant

A high brightness of 3000 lumens means the IN105 projector is bright enough in environments with high ambient light. The award-winning InFocus BrilliantColor implementation brings rich, realistic colour to any presentation.

### Flexible

The IN105 projector offers multiple computer inputs for flexibility in any environment. Both models are compatible with LiteShow III™ wireless adaptor, allowing cable-free presentations. The LiteShow III lets users switch presenters in seconds and transmit data, audio, and video over a 91 m range.



#### Connectivity options

S-Video	3.5 mm audio in
VGA (HD15)	Audio out
Monitor out	Composite Video
RS232	



#### IN105

XGA  
(1024 × 768) NATIVE RESOLUTION  
3000 LUMENS  
3D-READY

### Compact

The IN105 projector is small and lightweight for easy portability from one room or building to the next. It is compact, weighs about 2.3 kg, and comes with a convenient carrying case.

### 3D-Ready

The IN105 projector is 3D-Ready and is able to project immersive 3D movies, games and software brilliantly. With a refresh rate of 120Hz, the IN105 can easily switch between normal 2D and 3D projection.



# IN105

## Security

The IN105 projector features a Kensington® lock and user PIN for maximum security.

## 24/7 Non-Stop Projection

All new InFocus DLP projectors are filter-free and are rated for 24/7 operation, resulting in less maintenance and hours of worry-free use.

## Optional Accessories

Replacement Lamp IN105 (SP-LAMP-061)  
LiteShow III Wireless Adaptor (INLITESHOW3)  
Security Lock (SEC-LOCK-01)  
Cables & Adaptors



LiteShow III

For more information, please visit:  
[www.infocus.com/Accessories.aspx](http://www.infocus.com/Accessories.aspx)


## Warranty

Providing the highest quality products and support is very important to us. The IN105 digital projector comes standard with a 5-year limited factory warranty (including parts<sup>1</sup> and labour<sup>2</sup>), 1-year limited lamp replacement warranty, and 5-year DLP warranty.

For more information, please visit:  
[www.infocus.com/Support/Warranty.aspx](http://www.infocus.com/Support/Warranty.aspx)



8.8 in  
223 mm



Remote



3.7 in  
94 mm

10.4 in  
264 mm



# InFocus

Bright Ideas Made Brilliant

[www.infocus.com](http://www.infocus.com)

**INFOCUS CORPORATE HEADQUARTERS**  
13190 SW 68th Parkway  
Portland, Oregon 97223-8368, USA  
Phone: (1) 503-207-4700  
Toll Free: (1) 877-388-8385  
Fax: (1) 503-207-1937

**INTERNATIONAL HEADQUARTERS**  
4 Teck Lim Road  
Singapore 088382  
Phone: (65) 6513-9600  
Fax: (65) 6238-0535

# Specifications\*

## IN105

Native Resolution	XGA 1024 × 768
Maximum Resolution	UXGA 1600 × 1200
Display Technology	Texas Instruments DLP .55" LVDS DDP2431 with BrilliantColor
Brightness	3000 ANSI lm
Lamp Life **	4000 Hrs Eco Mode (3000 Hrs Normal)
Maximum Contrast Ratio	4000:1 Native
Audible Noise	28 dbA Eco Mode (33 dbA Normal)
Audio	2 W
Computer Compatibility	PC, MAC
Keystone Correction	+/- 30 degrees
Throw Ratio	1.85 ~ 2.04
Zoom Ratio	1.1:1
Projection Distance	4.9 ~ 19.7 ft / 1.5 m ~ 6 m
Number of Colours	16.7 Millions, True Colours
Aspect Ratio	4:3 (Native), 5:4, 16:9, 16:10
Lamp Power	176 W Eco Mode (220 W Normal)
Power Consumption	228 W Eco Mode (288 W Normal), Standby < 1 W
Power Supply	100 ~ 240 Vac, 50/60 Hz
Video Compatibility	SDTV (NTSC, PAL, SECAM, 480i, 576i), ED/HDTV (480p, 576p, 720p, 1080i, 1080p)
Input Sources	VGA (HD15) × 2, S-Video × 1, Composite Video × 1, Audio (3.5 mm) × 1
Output Sources	VGA (HD15) × 1, Audio (3.5 mm) × 1
Control	RS232
Product Weight	5.07 lbs / 2.3 kg
Product Dimensions - W×D×H	10.4 × 8.8 × 3.7 in / 264 × 223 × 94 mm
Product Colour	Black
Shipping Dimensions - W×D×H	7.3 × 11.4 × 15.5 in / 180 × 290 × 390 mm
Shipping Weight	8.37 lbs / 3.8 kg
Maximum Altitude	10,000 ft / 3098 m
Ships with - Accessories	Power Cord, VGA Cable, Remote, Safety Instructions, CD Quick Start/User Guide
Menu Languages	English, French, German, Italian, Korean, Norwegian, Turkish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Dutch, Polish, Danish, Finnish
Lamp Particle Containment	Tested to larger than 0.8 mm ***
Accessories Warranty	90 Days
Approvals	C-Tick (Australia), CCC (China), CECP (China Energy Conservation), PSB (Singapore)
Security	Kensington Lock

\* Product specifications, terms, and offerings are subject to change at any time without notice.

\*\* Actual lamp life may vary based on the ambient environment and projector usage. Conditions that may affect lamp life include temperature, altitude, and rapidly switching the projector on and off.

\*\*\* Tested to contain particles larger than the specified size in any dimension



LiteShow III™



©2011 InFocus Corporation. All rights reserved. Specifications are subject to change without further notice. InFocus and InFocus Bright Ideas Made Brilliant are either trademarks or registered trademarks of InFocus Corporation in the United States and other countries. DLP, the DLP logo, and the DLP medallion are trademarks of Texas Instruments. All trademarks are used with permission or are for identification purposes only and are the property of their respective companies. <sup>1</sup>Excludes power supply, fans, colour wheel and light tunnel which are covered for three (3) years. <sup>2</sup>Labour is covered for three (3) years from date of proof of purchase. InFocus\_IN105\_DS\_EU\_07MAR11. Part Number: MMINFOCUS-0204.