

86

UHD TV Signage UR640S (EU/CIS)

\* All images in this datasheet are for illustrative purposes only

au au au

RED WINE

# LG TV Signage with Essential Function



Superb Picture Quality with Ultra HD Resolution


1. 1. 1. 1. A. (



High-Performance with webOS 6.0







with Slim Depth

UR640S (EU/CIS)	
Inch	86" / 75" / 65" / 55" / 50" / 43"
Screen Resolution	3,840 × 2,160 (UHD)
Operation Time	16 Hours / 7 Days
Brightness	86" / 75" : 330 nits 65" / 55" / 50" : 400 nits

LG Solution Compatibility

LG ConnectedCare, LG SuperSign CMS, LG SuperSign Control

43" : 300 nits



Versatile Content Management with LG SuperSign CMS

Improved Design

#### UR640S (EU/CIS)



## SUPERB PICTURE QUALITY WITH ULTRA HD RESOLUTION

With the resolution that is 4 times higher than FHD, it makes the color and details of the contents more vivid and realistic. In addition, the wide viewing angle applied with an IPS panel, provides clear contents.



#### IMPROVED DESIGN WITH SLIM DEPTH

This series is thinner than LG conventional\* model to save space and enable easy installation. In addition, its sophisticated ahsed blue color improves the décor of the space where the product is installed.


\* 'LG Conventional' refers to LG UT640S series.



#### HIGH-PERFORMANCE WITH LG webOS 6.0

LG webOS 6.0, upgraded in SoC\* and web engine, is available on UR640S series for a smooth execution of several tasks. LG webOS smart signage platform enhances user convenience with intuitive GUI.\*\*

\* SoC : System On Chip \*\* GUI : Graphical User Interface



#### EMBEDDED CONTENT & GROUP MANAGEMENT

The embedded Content and Group Management System allows you to edit and play content, schedule playlists and groups, and control signage via remote control, mouse and mobile phone without the use of separate PC or software. This makes content management easy and user-friendly.

#### UR640S (EU/CIS)



#### VERSATILE CONTENT MANAGEMENT WITH LG SuperSign CMS

LG SuperSign CMS is integrated management program supporting creation and management of digital media and content deployment, optimized for LG signage. With its simple and intuitive menus and layout options, it enhances efficiency for content creation and editing, scheduling and distribution, improving user experience. In addition, it supports multiple displays and accounts, is able to be linked to external databases, and allows server access from mobile devices.

\* LG SuperSign CMS is sold separately.



#### QUICK & EASY SIGNAGE CONTROL WITH LG SuperSign CONTROL

SuperSign Control is the basic control software, and it can manage up to 100 displays through a single account and server. Power, volume, and scheduling can be remotely adjusted, and firmware updates supported.



#### DISPLAY POWER MANAGEMENT SUPPORT

Display Power Management (DPM) can be configured to be On only when there is a TV signal present to manage power more efficiently.

\* LG SuperSign Control needs to be purchased separately.

#### **REAL-TIME PROMOTION**

With Beacon and Bluetooth® Low Energy (BLE), shop managers can provide coupons and information in real-time.

### CONTENT SHARING

Content Mirroring among devices is available on a same Wi-Fi network.



#### WIRELESS ACCESS POINT

UR640S series operates as a virtual router which can be an wireless access point for mobile devices.



### EASY MENU SETUP FOR VERTICAL NEEDS

UR640S series increases users' convenience by organizing frequently used menus\* by industry.

\* Pre-set Support Vertical : Corporate / Government / Retail, Meeting room



#### REAL-TIME LG ConnectedCare SERVICE

Maintenance is easy and fast with the optional LG ConnectedCare\* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, supporting the stable operation of clients' businesses.

\* The availability of the 'LG ConnectedCare' service differs by region, and it needs to be purchased separately. So please contact the LG sales representative in your region for more details.

#### CONNECTIVITY 86" 75" / 65" / 55" / 50" / 43" Rear Rear EXTERNAL SPEAKER OUT inder license pratories. Dolby, Dolby Visi - and the double $\bigcirc$ $\cap$ LAN Dolby Atmos, and the ademarks of Dolby Lab LAN EXTERNAL H/P SPEAKER OUT OUT 13/18V ---- 0.7A Max ANTENNA/ Satellite IN CABLE IN HDMI IN USB IN 13V/18V ----700mA Max LNB ANTENNA/ Satellite IN CABLE IN C der license from Dolby Laboratories, Dolby, Dolby Vis I the double - <u>D</u> symbol are trademarks of Dolby Lab OPTICAL DIGITAL AUDIO OUT on Dolby HDMI MCR68423501 Side Side ()()▲ COMMON INTERFACE ▲ HDMI IN USB IN 🚅 HDMI IN HDMI II SERVIC ONLY

\* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.





www.youtube.com/c/LGECommercialDisplay www.facebook.com/LGInformationDisplay www.linkedin.com/company/lginformationdisplay

LG may make changes to specifications and product descriptions without notice Lo may make changes to specifications and product descriptions without notice. Copyright © 2021 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.



