



Mobile, Eco⁺ Green Projection



Up to 6500h increased lamp life + 70% energy saving

4:3 XGA 3000 L

3000L - Project in ambient light

Native XGA resolution

13,000:1

Detailed images, crisper whites & ultra rich blacks with 13.000:1 contrast







Eco⁺ Green Projection

The Optoma EX555 is the perfect projector for all your display needs. An ultra-bright 3000L with a 13,000:1 contrast, ensures your presentations and graphics are crystal clear leaving your audience speechless every time the projector is turned on. Ideal for use with interactive whiteboards in schools or delivering an important presentation at work.

Installed or on the move, the versatile EX555 incorporates a built in speaker, 120Hz 3D Ready technology and Eco⁺ technology that brings together superb picture quality and performance with optimized lamp life through energy saving features that are easy to use.



GREEN SOLUTIONS

ECO+ TECHNOLOGY FROM OPTOMA INCREASES OUR COMMITMENT TO REDUCING THE IMPACT WE ALL MAKE ON THE ENVIRONMENT

ECO⁺ MODE

Saving energy, saves money! Eco⁺ technology reduces the power consumption to as little as 30%. This intelligent feature also has a positive effect on the lamp life, increasing it up to 70% while lowering the total cost of ownership and reducing maintenance^{*}.



Dynamically adjusts the brightness and power consumption





Bright scene ~100% Power consumption

Dark scene ~ 30% Power consumption

AUTO POWER OFF

There may be instances when the projector is left running when not in use. To help save energy if the projector is left running and no source is detected, the "Auto Power Off" feature automatically turns off the projector after a set period of time.

ECO AV MUTE

Stay in control of your presentation with the Eco AV mute feature. Direct your audience's attention away from the screen by blanking the image when no longer needed. This also instantly reduces the power consumption to 30%, further prolonging the life of your lamp.





Eco AV mute off 100% Power consumption

ENVIRONMENTALLY FRIENDLY

Eco AV mute on 30% Power consumption

To achieve the maximum 6500hrs² lamp life, the projector should be operating in Eco⁺ mode and the auto power off feature should be enabled to automatically switch off the projector if it is accidentally left on. Enabling the <0.5W standby mode ensures the minimum energy consumption when the projector is not switched on.



We know that improving our products is the best way to reduce our impact on the environment. That's why at Optoma, we design our products to have a long usable life, use fewer materials, ship with the minimum packaging and be free of all possible toxic substances. Naturally, energy efficiency and being recyclable are built in at the design stage. With each new product, we strive towards minimising our environmental impact. For full details of Optoma Project Green please visit our website.



BRIGHT, CLEAR, FOCUSED IMAGES

Bright 3000 ANSI Lumens, Perfect for projecting in lights on environments. And with DarkChip3[™] technology from Texas Instruments combined with Eco⁺ technology produces a stunning 13,000:1 contrast ratio for pin sharp graphics and crystal clear text. Crisper whites, ultra-rich blacks make images come alive and text easier to read - ideal for business and education presentations.





2000:1 Contrast Ratio

13,000:1 Contrast Ratio

3D TECHNOLOGY

Using the inherent speed of DLP technology, The Optoma EX555 can output video and images at an astonishing rate of 120Hz, allowing you to show full screen, full colour, stereoscopic 3D.



Typical applications include use with 3D educational or 3D design and modelling systems. See website for updates.

WIRELESS PRESENTING (OPTIONAL EXTRA)

Making presentations couldn't be easier using the optional wireless features of the EX555. Using the wireless VGA dongle (Additional power required and sold separately) you can connect and display presentations and video material wirelessly from a laptop, PC or mobile device.

CONTROL

The extensive RS232 command set makes it simple and easy to control the EX555 with any control system.





AUDIO CAPABILITY

Built-in speakers offers excellent audio support. The EX555 is easy to set up without the need for costly external speakers.



RAPID OFF

It takes less than 10 seconds for the projector to power up and shutdown, saving both time and energy.

QUICK RESUME

Allows you to saving time by not waiting for the projector to cool down before it can power up again. If the projector is accidentally turned off, this feature allows the projector to be instantly powered on again, if selected within a period of 100 seconds.



AMAZING COLOURS

The EX555 incorporates BrilliantColor™ technology to produce stunningly bright images with perfectly balanced life-like colours.

COLOUR GUARANTEE

We are so confident that the EX555 image colour quality will remain as good as the day you bought it that Optoma will guarantee it for five years.



FEATURES

- Top cover lamp replacement
- Keypad lock
- ✓ Quick keystone correction
- Password protection for added security
- ✓ USB mouse
- ✓ Carry Case





EX555 SPECIFICATIONS

Native Resolution	XGA 1024 x 768						
Max Supported Resolution	UXGA (1600 x 1200)						
Brightness - BRIGHT mode ¹	3000 ANSI Lumens						
Contrast Ratio	13.000:1						
Noise Level	28dB (ECO+ mode)						
Lamp Life ²	6500/5000/4500 (Eco+/Eco/Bright mode)						
Weight / Dimensions (W x D x H)	2.2 kg / 288 x 220 x 84mm						
Projection Lens	F/2.41 - 2.55; f=21.8 - 23.98mm, 1.1x Manual Zoom						
Throw Ratio							
Projection Distance	1.95 - 2.15:1 (Projection Distance:Image Width) 1.2 - 12m						
	0.7 - 7.70m (27.49" - 303.12") Diagonal 4:3						
Image Size	Single 0.55" XGA DC3 DMD chip DLP® Technology						
Display Technology	by Texas Instruments						
Remote Control	Full function remote with mouse controls and direct						
Remote Control	source selecting						
Inputs	2 x 15 Pin D-Sub VGA Component via adaptor						
Inputs	S-Video 4 Pin Mini Din						
	Composite RCA						
	3.5mm Audio Mini Jack						
	USB (remote mouse)						
Control	RS232 - 9 Pin D-sub						
OUTPUT	15 Pin D-Sub VGA						
	3.5mm Audio Mini Jack						
Audio	2W Speaker						
Aspect Ratio	4:3 Native, 16:9 Compatible						
Keystone Correction	± 40° Vertical						
On Screen Display	18 Languages: English, German, French, Italian, Spanish,						
	Portuguese, Polish, Dutch, Russian, Finnish, Swedish,						
	Greek, Norwegian/Danish, Hungarian, Czech, Turkish,						
	Arabic & Farsi						
Video Compatibility	PAL SECAM 576i/p, NTSC 480i/p, HD 720p/1080i/1080p						
Uniformity	85%						
Displayable Colours	1.07 Billion						
Horizontal Scan Rate	15.4 - 91.1kHz						
Power Supply	100 - 240V, 50 - 60Hz						
Power Consumption	275W BRIGHT mode < 0.5W Standby mode						
r ower oonsamption	220W ECO mode < 0.5W Standby mode						
	200W ECO+ mode < 0.5W Standby mode						
Operating Conditions	Operating: $5 - 40^{\circ}$ C, 85° Humidity (Max),						
operating conditions	3000m Altitude (Max)						
Security	Security Bar, Kensington Lock Port, Password Protection						
Standard Accessories	Soft Carry Bag, AC Power Cord, VGA Cable, Full Function						
Stanuaru Accessories							
	Remote, Batteries x 2, Quick Start Guide, CD User Manual,						
D-110	Warranty Card						
RoHS	Compliant						
Lamp Warranty	6 months or 1000 hours - whichever comes sooner						
Warranty	Warranty may vary by country. Please see						
	www.optomaeurope.com or ask your local						
	supplier for details						
Colour Guarantee ³	5 Years						
3D Support	120Hz frame sequential 3D for resolutions up to 720p.						
	60Hz field sequential 3D for resolutions up to 480i						
3D Viewing	Requires Optoma DLP [®] Link [™] active shutter glasses –						
5	sold separately						
3D Compatibility	The 3D features of Optoma projectors can only be used with						
	the second projectore carry by dood war						
	compatible 3D content. Typical applications include use with						
, ,	compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems.						

EASY TO USE REMOTE CONTROL

EX555 Remote Control

1 Power 2 Mouse select 3 Source 4 Re-sync 5 Left mouse click 6 Right mouse click 7 Mouse control 8 Display mode 9 Page up/down control 10 Vertical keystone correction **11** Volume control 12 Brightness 13 Menu 14 Direct input source select (8) 15 Eco AV mute 16 Eco+ (10) 17 3D control 12 **EX555 Connections** 18 USB (Remote mouse) (14 19 Video 20 S-Video 21 VGA Out (16) 22 VGA 1 23 RS232 24 Audio In



Exceptional Connectivity / Multiple Terminals



Projection Distance (m)	Max. Horizontal Image Size (m)	Min. Horizontal Image Size (m)	Max. Vertical Image Size (m)	Min. Vertical Image Size (m)	Max Diagonal Image Size (m)	Max Diagonal Image Size (inch)	Max. Image Offset (m)
1.20	0.62	0.56	0.46	0.42	0.77	30.31	0.07
2.00	1.03	0.93	0.77	0.70	1.28	50.52	0.12
2.50	1.28	1.16	0.96	0.87	1.60	63.15	0.14
3.00	1.54	1.40	1.16	1.05	1.92	75.78	0.17
4.00	2.05	1.86	1.54	1.40	2.57	101.04	0.23
5.00	2.56	2.33	1.93	1.75	3.21	126.30	0.29
6.00	3.08	2.79	2.31	2.10	3.85	151.56	0.35
7.00	3.59	3.26	2.70	2.45	4.49	176.82	0.40
8.00	4.10	3.72	3.08	2.80	5.13	202.08	0.46
9.00	4.62	4.19	3.47	3.15	5.77	227.34	0.52
10.00	5.13	4.65	3.86	3.50	6.42	252.60	0.58
11.00	5.64	5.12	4.24	3.85	7.06	277.86	0.64
12.00	6.15	5.58	4.63	4.20	7.70	303.12	0.69

25 VGA 2

27 Audio Out

26 KensingtonTM Lock

For guide purposes only

EX555 is capable of 16:9 aspect ratio projection. When projecting a 16:9 image the image sizes, screen height and offset information will differ from the above.

Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

www.optoma.co.uk



Depends on projector model and lamp. Brightness and lamp lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. "Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions. "Optoma guarantees that in normal use, Optoma DLP® colour quality will be indistinguishable from when new. Exclusions: (a) Guarantee is voided if the projector is subject to damage through misuse, (b) Guarantee may be void in industrial or commercial entertainment environments where dust or smoke is excessive (c) Guarantee will not apply if lamp brightness is below 50% due to wear of the projector is not working or registered trademarks of over time worn lamps within all projector types will show a slight colour variance. Copyright © 2012, Optoma Europe Ltd. All other product names and company names used herein are for identification purposes only and may be trademarks of or registered trademarks of their respective owners. Crestrom[®], the Crestron and RoomView[®] loga are registered trademarks of Crestron Electronics, Inc. Errors and omissions excepted, all specifications are subject to change without notice. DLP[®] RolliamtColorTM and the DLP logo are registered trademarks of Texas Instruments. All images of products may differ slightly. Some product integes may the indextraduate integes on the forther mended to another the integet and the integet on the moder distribute tails or the forther mended to another the integet and the integet and the integet on the integet and the integet and the integet on the integet and the integet on the integ have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may be simulated