HD800X LV Home Entertainment Projector





FEATURES

- No need to dim the lights with an Ultra bright 2000L
- Full HD Ready for 1080P TV, Movies or Gaming
- 8000:1 (Max) Contrast Ratio for breathtaking lifelike images
- Stunningly vivid & realistic HD colour
- HDMI v1.3 for pure digital image quality



Full HD 1080p entertainment even with the lights on

Now at last there's no need to dim the lights when you watch your favourite movie or play a video game on your home entertainment projector. With its unrivalled combination of 2000 ANSI Lumens and an 8000:1 (Max) contrast ratio, the HD800X LV can deliver stunning images all in native 1080p resolution even during the day. Turn the lights down and even on a 5m (197") screen, every astonishing detail will come to life before your eyes.

Technical Specifications

Highlights				
Full HD Ready	Native 1080P, HDMI & DVI inputs			
Display Technology	DLP®			
Contrast	8000:1 (Max)			
Audible Noise	27dB Standard mode, 29dB Bright mode			
Brightness	2000 ANSI Lumens			
Connections				
Signal Type	Options Input Connector			
HDMI	3 2 x HDMI (V1.3 Deepcolor) 1x E	OVI-I with optional adaptor		
Component (I\P)	2 1xRCA, 1xDVI-I with optional a	daptor		
SCART RGB	1 DVI-I via supplied adaptor			
S-Video (Y/C)	1 3 Pin Mini DIN			
Composite Video (CVBS)	1 BCA			
DVI-D Computer	1 DVI-I			
RGB Computer	1 DVI-I			
RS-232	1 9 Pin D-Sub connector			
Screen trigger	1			
Video Compatibility	PAL, SECAM (576i/p), NTSC (480i/p), HDTV	′ (1080p, 1080i, 720p)		
Display				
Aspect Ratio	Widescreen 16:9 with support for 4:3	Widescreen 16:9 with support for 4:3		
Throw Ratio	1.85-2.22 (Projection Distance/Image Width) 1.2x Manual zoom			
Projection Distance	1.5m – 12.5m			
Image Size 16:9 Diagonal	0.76 - 7.62m (30.5-300")			
Keystone Correction	Vertical			
Projection Types	Front, Ceiling, Rear, Rear ceiling			
Lamp Type	300 watt			
Lamp Life	Standard mode 3000 hours*	Standard mode 3000 hours*		
General				
Dimensions	411x311x116 (WxDxH)			
Weight	4.5kg			
Power Consumption	395W W Max, <14W standby	395W W Max, <14W standby		
Operating Temperature	5-35°C Max, 80% Humidity			
Warranty	Warranty may vary by country. Please see			
	www.optomaeurope.com or ask your local supplier for details			
Lamp Warranty	6 months or 1000 hours whichever is the sooner			
Menu Languages	English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch,			
	Norwegian and Danish combined, Polish, R	ussian, Finnish, Greek		
Supplied accessories	AC power cord, Component video cable, RS232 cable, Remote			
	control, Batteries for remote, Lens cap, Use	er's guide		
Optional accessories	Ceiling Mount Kit, HDMI to DVI adaptor	Ceiling Mount Kit, HDMI to DVI adaptor		
EAN Number	5060059043071			
*Typical lamp life achieved through testing. W	vary according to operational use and environmental conditions			



Projector I/O Ports

0

DI

Cripe Mush 17

HOMO OVI

YPhPy Nummer Video

m inspettent w

44

12

14

1

16 (Dver soar)

•

ImageAI-II

18

19

- 1 RS232 control
- 2 12 volt screen trigger output
- 3 Composite video Input
- 4 Component video Input
- 5 S-video Input
- 6 DVI-I Input for:
- SCART RGB DVI-D VGA Component
- 7 2 x HDMI (V1.3) Inputs


Remote Control

- 8 Brightness
- 9 Contrast
- 10 Image Al
- 11 Image gamma preset selection
- 12 IRIS Control
- 13 Bright Mode
- 14 Image Shift
- 15 Preset image modes selection
- 16 Overscan Control
- 17 Edge Masking Tool
- 18 Display aspect ratio selection

truevivid

19 Input selection

Projection Distance (m)	Horizontal Image Size (m)	Max. Diagonal Image Size (m)	Max. Diagonal Image Size (Inch)	Max. Image Offset (m)
2.00	0.90 - 1.08	1.24	49	0.22
3.00	1.35 - 1.62	1.86	73	0.33
4.00	1.80 - 2.16	2.48	98	0.44
5.00	2.25 - 2.70	3.10	122	0.55
6.00	2.70 - 3.24	3.72	146	0.66
7.00	3.15 - 3.78	4.34	171	0.77
8.00	3.60 - 4.32	4.96	195	0.87
For guide purposes	s only			



DVI

IDCP COMPLIAN





Optoma Europe Limited 42 Caxton Way, Watford Business Park, Watford, Hertfordshire. WD18 8QZ

Tel: +44 (0) 1923 691800 Fax: +44 (0) 1923 691888

www.optoma.co.uk



*Optoma guarantees that in normal use, Optoma DLP® colour quality will be indistinguishable from when new. Please note that worn lamps will give slight variance, Exclusion: *(1) Guarantee is volided if the projector is subject to damage through mis-use. (2) Guarantee may be void in industrial or commercial entertainment environments where dust or smoke is particularly excessive (3) Guarantee will not apply if famp brightness is below 50% due to wear or if the projector is not working due to other fault.

air

**Typical lamp life achieved through testing. Will vary according to operational use and environment conditions. Copyright © 2008, Optoma Europe Ltd. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners.

*** Optoma guarantees that in normal use, the DLP® imager guarantee will retain quality for at least 5 years providing consistent pixel performance. Exclusion: (1) Guarantee is voided if the projector is subject to damage through mis-use. (2) Guarantee may be void in industrial or commercial entertainment environments where dust or smoke is particularly excessive.

Errors and omissions excepted, all specifications are subject to change without notice. DLP®, SimiliantColorTM and the DLP logo are registered trademarks of Texas Instruments. TrueVividTM and Image AITM are registered trademarks of Optoma Technology, inc. TrueVisionTM is a trademark of Texas Instruments. DNITM is a trademark of Pixelworks. All other product names and company names used herein are for identifications purposes only and may be trademarks of their registered trademarks of their respective owners.