

Lightweight

projector

widescreen

## W304M DLP® Projector



Light weight & portable - only 1.4 kg



3100L - Bright, vibrant projection



Widescreen HD ready, native WXGA resolution



Sharp detailed images with a 10,000:1 contrast ratio















## Lightweight, Widescreen and HD Ready

Ideally partnered with a widescreen notebook, HD sources or a mobile device, the W304M delivers bright vivid presentations and videos in the office or on the road.

Weighting only 1.4kg this travel-friendly projector incorporates a staggering 3100 ANSI Lumens allowing you to project bright, crystal clear presentations during the day, leaving your audience speechless every time the projector is turned on.

Being small doesn't mean that you miss out on specification though, the W304M incorporates a built in speaker, HDMI connectivity, Full 3D technology and optional wireless capabilities allowing you to project wirelessly from a laptop or mobile device. It also comes with a convenient carry bag for easy transportation.

Projecting with laptops, Macs or even tablets has never been so easy.

#### **ULTRA PORTABLE**

At only 1.4kg, the W304M is ultra light and ultra portable, coupled with the included carry case make it ideal for presentations on the go.



#### **BRIGHTNESS WHERE IT MATTERS**

Room lighting can be unpredictable for the business traveller; you never know what to expect. The W304M has a powerful lamp producing 3100 ANSI Lumens, so you can be sure your presentation will be bright and clear.



## **RAPID SHUT DOWN**

Pack up your projector and go after 10 seconds from pressing the power button with rapid shutdown, saving you both time and money.



#### **USB REMOTE MOUSE & LASER**



Control your presentation with dedicated left and right click mouse buttons on the included remote control. You can also point to things on the screen without having to stand in front of the projected image with the built in laser pointer (USB cable required).

## **CLEAR, FOCUSED IMAGES**

Be sure to have your audience's attention during a presentation with a stunning 10,000:1 contrast ratio for pin sharp graphics and crystal clear text. Crisper whites and ultra-rich blacks makes images come alive and text easier to read - ideal for business and education presentations and the occasional movie.

WITHOUT 1000:1 contrast ratio WITH 10,000:1 contrast ratio



‡Simulated Image

## **FULL 3D READY**

Using the inherent speed of DLP technology, The Optoma W304M. Full 3D projector can display true 3D content form any 3D display device, such as 3D Blu-ray, PS3, Xbox and Sky3D.

#### TRUE WXGA RESOLUTION

The W304M is the perfect companion for widescreen laptops. Your presentations will appear as sharp and detailed as they do on your widescreen laptop in WXGA (1280 x 800) resolution. WXGA resolution gives 30% more pixels than XGA.





## **AMAZING COLOURS**

The W304M incorporates BrilliantColor™ technology to produce stunningly bright images with perfectly balanced life-like colours.

#### **COLOUR GUARANTEE**

We are so confident that the W304M image colour quality will remain as good as the day you bought it that Optoma will guarantee it for five years.





#### **ENVIRONMENTALLY FRIENDLY**

The W304M incorporates energy saving features to conserve power and extend the lamp life up to 5000 hours. This includes Eco mode, for reduced power consumption during operation, a sleep timer which when activated will automatically switch off the projector if it is accidentally left on when no longer required and a <0.5W standby mode which will ensure the minimum energy consumption when the projector is not being used

# Present from a mobile device



#### **WIRELESS PRESENTING (OPTIONAL EXTRA)**

Making presentations couldn't be easier using the optional wireless features of the W304M. Using the Wireless Adapter you can connect and display presentational material wirelessly from a laptop, PC or mobile device.



#### **W304M SPECIFICATIONS**

D	CL L COSTUNION DOC DATE LL DIDET L				
Display Technology	Single 0.65" WXGA DC2 DMD chip DLP® Technology				
Native Description	by Texas Instruments				
Native Resolution	WXGA 1280 x 800				
Brightness - BRIGHT mode <sup>1</sup>	3100 ANSI Lumens				
Contrast	10,000:1				
Noise Level	33dB (min)				
Weight	1.4 kg				
I/O Connectors	HDMI (v1.4a 3D), 15 Pin D-sub (RGB/YPbPr), Composite, Audio In, Audio Out, USB (remote mouse)				
Maximum Resolution	WXGA+ 1680 x 1050				
Computer Compatibility	UXGA, SXGA, XGA, SVGA, VGA, Mac				
Video Compatibility	PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p, 1080p)				
Displayable Colours	134.2 Million				
Projection Lens	F/2.55~2.72; f=21.3~24.5mm, 1.15x Manual Zoom				
Throw Ratio	1.53 - 1.76:1 (Projection Distance:Image Width)				
Projection Screen Size	0.68m - 6.54m 31.65" - 303.44") Diagonal 16:10				
Projection Distance	1.5 - 10 metres				
Horizontal Scan Rate	15.375 - 91.146kHz				
Vertical Scan Rate	24 - 85Hz				
Lamp Type/Lamp Life2	220W, 5000/4000 hours (ECO/BRIGHT mode)				
Keystone Correction	± 30° Vertical				
Audio	1W				
Dimensions (W x D x H)	220 x 178 x 71mm				
Remote Control	Full function remote with remote mouse, laser pointer				
	and direct source selecting				
Power Supply	100-240V, 50-60Hz				
Power Consumption	280W BRIGHT mode < 0.5W Standby mode,				
	230W ECO mode < 0.5W Standby mode				
Operating Conditions	5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m				
Uniformity	85%				
Security	Kensington Lock, Password Protection				
Standard Accessories	Carry Bag, AC Power Cord, VGA Cable, Infra Red Remote Control with Batteries, Quick Start Card, CD User Manual, Warranty Card				
Optional Accessories	Ceiling Mount Kit, Wireless adapter				
RoHS	Compliant				
3D Support	The 3D features of Optoma projectors can only be used				
ор опрроге	with compatible 3D content. Typical applications include				
	use with 3D educational or 3D design and modelling				
	use with 3D educational of 3D design and modelling				
	systems. 3D TV broadcast systems, (SKY in the UK),				
	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D $^{\rm TM}$ and 3D games from the Sony $^{\rm S}$ PS3 or				
	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the				
2D Viewing	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.				
3D Viewing	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Requires the Optoma ZD301 DLP-Link shutterglasses - available separately.				
3D Viewing 3D Compatibility	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Requires the Optoma ZD301 DLP-Link shutterglasses -				
	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Requires the Optoma ZD301 DLP-Link shutterglasses - available separately.				
	systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Requires the Optoma ZD301 DLP-Link shutterglasses - available separately. Side-by-Side:1080i50 / 60, 720p50 / 60				

#### **EASY TO USE REMOTE CONTROL**

#### **W304M Remote Control**

- 1 Power
- 2 Mouse Select
- 3 Source
- 4 Re-Sync
- 5 Left mouse click
- 6 Right mouse click
- 7 Mouse control
- 8 Laser
- 9 Page up/down control
- 10 Vertical keystone correction
- 11 Volume control
- 12 Brightness
- 13 Menu
- 14 Direct Input Source Selection
- 15 Eco AV mute
- 16 Contrast
- 17 3D control

### **W304M Connections**

- 18 USB (remote mouse)
- 19 Audio In
- 20 Audio Out
- 21 Composite
- 22 VGA In 23 HDMI
- 24 Kensington™ Lock



## **Exceptional Connectivity / Multiple Terminals**





We know that improving our products is the best way to reduce our impact on the environment. That's why at Optoma, we design our products to have a long usable life, use fewer materials, ship with the minimum packaging and be free of all possible toxic substances. Naturally, energy efficiency and being recyclable are built in at the design stage. With each new product, we strive towards minimising our environmental impact. For full details of Optoma Project Green please visit our website.

W304M Projection Distance 1.2 - 12m (16:10 Aspect Ratio)								
Projection Distance (m)	Max. Horizontal Image Size (m)	Min. Horizontal Image Size (m)	Max. Screen Height (m)	Min. Screen Height (m)	Max Diagonal Image Size (m)	Max Diagonal Image Size (inch)	Max. Image Offset (m)	
1.20	0.78 1.31	0.68 1.14	0.49	0.43 0.71	0.92	36.41	0.06	
2.00 2.50 3.00	1.63 1.96	1.14 1.42 1.70	0.82 1.02 1.23	0.71 0.89 1.07	1.54 1.93 2.31	60.69 75.86	0.10 0.12	
4.00	2.61	2.27	1.63	1.42	3.08	91.03 121.38	0.15 0.20	
5.00 6.00	3.27 3.92	2.84 3.41 3.98	2.04 2.45	1.78 2.13	3.85 4.62	151.72 182.07	0.25 0.29	
7.00 8.00	4.58 5.23	4.55	2.86 3.27	2.49 2.84	5.40 6.17	212.41 242.76	0.34 0.39	
9.00 10.00	5.88 6.54	5.11 5.68	3.68 4.08	3.20 3.55	6.94 7.71	273.10 303.44	0.44 0.49	

For guide purposes only

W304M capable of 4:3 and 16:9 aspect ratio projection. When projecting a 4:3/16:9 image the image sizes, screen height and offset information will differ from the above.

## Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

#### www.optoma.co.uk

