UNICOL®

Last Updated Sept 2020

AXIA & AXIA TITAN STAND & TROLLEY RANGE





UNCOL

The graceful and stylish design of the Axia stand and trolley solution makes it the ideal solution for any corporate environment.

Provided with built-in neat cable management and the ability to hold an arrange of accessories. Suitable for screens up to 70".

Select to	ughened glass or metal s	helves as requ	60kg
Order Code AX15P AX15T AX16P	stand with universal mount trolley with universal mount lockable plinth cabinet stand	£ Ex Vat 523.20 557.50 708.20	Typically 33-70° screens
With our	vel Stands & Trolley PZX universal screen mo non-marking feet / 7.5cm	unt. Stylish pli	


universal screen mounts. Toughened glass shelf is included. Order Code £ Ex Vat AXC15P51 stand version - 38-57" 823.85

AXC15T51



State make & model of screens when ordering. Screen video conference mounts and larger screen versions also available. Call us for any advice or assistance

trolley version - 38-57" 978.65



Dimensions & Specifications							
Part Code	Height (mm)	Width (mm)	Depth (mm)	Capacity (kg)	Screen Size	VESA Min	VESA Max
AX15P	1505	760	580	60	33 - 70″	200x200	600x400
AX15T	1616	887	656	60	33 - 70″	200x200	600x400
AX16P	1689	760	580	60	33 - 70″	200x200	600x400
AX12P	1287	760	580	60	33 - 70″	200x200	600x400
AX12T	1400	887	656	60	33 - 70″	200x200	600x400
AXC15P51	1805	variable	734	35/screen	33 - 57″	200x200	600x400
AXC15T51	1837	variable	734	35/screen	33 - 57″	200x200	600x400

UNICOL®

Designed for large format or multi-screen applications, these trolleys incorporate heavier masts and increased base footprint.

The Axia Titan comes in 3 main variations; Fixed Height, Manual Easy Lift and PowaLift Electronic with remote.

Fixed Heigl For screens up	•	-		L	_		
Order Code AX15T2J AX20T2J	1.5m to centre of screer 2m to centre of screer						
Bolt Down varia	tions also available u	pon request.	Typically 70-110″ screens		ſ		
These trolleys i or smooth 'rate Order Code AXL15T2J Pov AXW20 Ma Safety must al screens, whi appropriate I only on flat ar	ectronic and N incoporate either a chet action' for easy waLift trolley - up to 110 inual Easy Lift - up to 98 ways be the first prio ch should be installed lifting equipment. Man d even surfaces. Lar inoeuvring trolley un	a powerful line y lifting. <i>£ Ex Vat</i> 7 1802.00 7 2686.90 rity when handl d by qualified pe anoeuvre and p ge screens may	ear drive system	AX15T2J	AX20		
Dimensions	& Specifications						
Differisions							
Part Code	Height (mm)	Width (mm)	Depth (mm)	Capacity (kg)	Screen Size	VESA Min	VESA Max

Part Code	Height (mm)	Width (mm)	Depth (mm)	Capacity (kg)	Screen Size	VESA Min	VESA Max
AX15T2J	1811	1217	734	200	71 - 110″	1000x600	1000x600
AX20T2J	2180	1217	734	200	71 - 110″	1000x600	1000x600
AXL15T2J	variable	1217	734	200	71 - 110″	1000x600	1000x600
AXW20	please email for specification			120	71 - 98″	1000x600	1000x600

Key Features

- Available in a variety of versions for screens ranging 33 - 110"
- ★ Variety of accessories to suit your requirements
- * Neat cable management
- * Graceful, stylish design
- ★ 4-way power socket neatly stowed behind screen
- * Non-marking feet on stand bases
- * Multi-screen versions available

- * Powerful, heavy duty stands and trolleys
- Increased base footprint for additional stability on Titan models
- PowaLift Axia Titan is CE approved and DDA compliant

CALL 01865 767676 NOW to order or discuss your requirements