

Interactive Ultra Short Widescreen Projection



Dual pen interactivity



Large images - up to 100"



Super bright images, vivid accurate colours - 3500 ANSI Lumens



Low running costs - Long life lamp, up to 4000 hours













Widescreen 3D Ultra Short Throw Projection and Interactivity

Engage your audience with the enhanced interactivity technology built into the 3D, W307USTi. Transform a flat wall or table top into a interactive surface without the need for a screen or electronic whiteboard.

The dual pen feature enables two students to work simultaneously. Smoother, more natural writing using new 3rd generation interactive technology and new easy to hold pens. This complete solution has everything that's needed to create a collaborative learning or working experience, including projector, interactive software, two interactive pens and wall-mount*.


Ideal for almost any room in educational and corporate environments, the W307USTi makes the most of the available space without the need for costly screens and interactive whiteboards. The specially designed ultra-short throw lens produces huge images from an extremely short distance allowing you to stand closer to the screen, preventing shadows and screen glare.

Captivate your audience, increase their learning potential and help improve results with lessons in crystal clear 2D or incredible 3D.

Using the specially designed wall mount* and clever cable management system the W307USTi is simple to install. Once in place the many security features ensure the projector is safe and secure.

Designed with you, the presenter, in mind, the W307USTi with 3500 ANSI Lumens of brightness, incorporates extensive connectivity, plug and play presenting, powerful 10W stereo speakers and Crestron RoomView® control to maintain and monitor the projector over the network. The environmentally friendly W307USTi has energy saving features including <0.5W standby mode and auto power off saving you both time and money. Our unique Optoma Colour guarantee ensures hassle-free, long-lasting projection.

*optional accessory



OLD PROBLEMS	OPTOMA SOLUTIONS		
COST Electronic interactive whiteboard is needed for interactive teaching.	AFFORDABLE Interactivity built directly into the projector which can be installed virtually anywhere there is a flat surface. Improved learning in the classroom with two students able to interact at the board at the same time.		
SHADOWS / GLARE Shadows from the presenter or the audience appear on the screen. Light projecting directly into the eyes of anyone stood close to the screen surface. Projector positioned nearly 2m away to achieve a large screen size.	ULTRA SHORT THROW (USTi) Projector is positioned very close to the screen to eliminate shadows and stop light from shining in the presenter's eyes. USTi projectors save space and enable very large projection displays even in the smallest of rooms.		
SECURITY Projectors are vulnerable to vandalism and theft.	PEACE OF MIND Fully featured USTi projectors are fitted with a security bar, Kensington™ lock and password protection.		
OUTDATED TECHNOLOGY 2D projection fails to deliver the information needed to ensure it makes a real impact.	LATEST TECHNOLOGY Engage and inspire your audience with the latest full 3D projection. Tried and tested 3D technology proven to improve learning. 3D projection is vital to creating the best classroom or meeting room environment.		

3rd GENERATION INTERACTIVE PEN TECHNOLOGY FOR MOUSE CONTROL, DRAWING AND WRITING


Easy to use with all your PC and Mac applications using the intuitive interactive pen.

- Draw and annotate on the projected image
- Use two pens simultaneously*
- Highly responsive with pinpoint accuracy right to the edge of the screen
- Easier to hold even for small hands
- Two modes, pen and mouse
- Multi language support

INTERACTIVE SOFTWARE

Enhance your teaching with the included LightPen interactive Software. Teaching and editing tools are provided to give you everything you need to interact and engage with your audience.

Diverse uses including presentations for business conferences, teaching in education and training for business.



*Mac device does not support multi-touch

ULTRA SHORT THROW LENS

Position the W307USTi even closer to the wall so that the light beam doesn't shine into your eyes. Project an impressive 60" diagonal image from just 45cm from the screen. Stand alone or wall mounted the W307USTi eliminates shadows on the screen and allows you to present with ease.





PERFECT FOR TEACHING

Maximise space in the classroom for teachers and students. The teacher can stand close to the interactive whiteboard without having the intense light from the projector shining directly into their eyes.

FUTURE PROOF TECHNOLOGY FOR THE CLASSROOM

Engage and inspire your students with 3D lessons in Biology, Maths, Geography and many more.



A NEW SOLUTION FOR INTERACTIVITY

Interactive technology offers tremendous potential for improving the learning process. Teachers and presenters can interact with their on screen material, engaging and involving everyone to

bring learning to life.

SAVES MONEY

DLP® ensures lower total cost of ownership, crystal-clear graphics and improved reliability compared to other technologies.

Up to 4000 hours lamp life or 4 years*

Fewer lamp replacements = lower running costs.

DETAILED PROJECTION

Easy to read text and graphics thanks to the incredibly high native contrast ratios.



Crestron RoomView® software provides a custom configurable interface to monitor, manage and control every projector in every room remotely from any computer.



SECURE 1

Kensington™ Lock, security bar and password protection act as a theft deterrent by preventing unauthorised use. Keypad lock prevents unauthorised adjustments and ensures the projector can only be controlled via the remote control.



BRILLIANT V COLOURS THAT LAST

Project stunning, vibrant and accurate colour images that won't decay overtime thanks to BrilliantColor™ and DLP® technology.



BRIGHT, DETAILED & COLOURFUL PROJECTION

Grab your audience's attention with bright, vivid projected images thanks to the BrilliantColor $^{\text{TM}}$ technology incorporated within the W307USTi.

Once you've purchased an Optoma DLP® projector, we guarantee that the colours, compared to other leading technologies, will not fade for a minimum of 5 years.

Preset display modes allow you to achieve a perfect image on a variety of surfaces including screens and interactive whiteboards.

CLEAR. FOCUSED IMAGES

Lessons in the classroom and presentations in the boardroom demand sharp, flawless images. DarkChip3™ technology from Texas Instruments produces a stunning 15,000:1 contrast ratio for pin sharp graphics and crystal-clear text. Crisper whites & ultra -rich blacks make images come alive and text easier to read.

To retain image clarity, Optoma projectors are designed with DLP® technology preventing degradation over time to give consistent pixel performance.



Low contrast

DarkChip3

COST SAVING - LONG LAMP LIFE

The W307USTi incorporates energy saving features to conserve power and extend the lamp life:

To achieve the maximum 4000hrs lamp life time the projector should be operating in ECO mode and the shut down timer enabled to automatically switch off the projector if it is accidentally left on when no longer required.

Optoma's low energy standby mode significantly reduces power consumption, enabling environmentally friendly power management and lower cost of ownership.



We know that improving our products is the best way to reduce our impact on the environment. That's why at Optoma, we design our products to have a long usable life, use fewer materials, ship with the minimum packaging and be free of all possible toxic substances. Naturally, energy efficiency and being recyclable are built in at the design stage. With each new product, we strive towards minimising our environmental impact. For full details of Optoma Project Green



CRESTRON ROOMVIEW® - NETWORK CONTROL

RoomView® software provides a custom configurable interface to power on/off, monitor, manage and control up to 250 projectors at the same time from any computer.

- Schedule the projectors to power up/down saving time, money and extending the life of the lamp.
- Control and alter the projector settings using a simple web browser page including menu control.
- Display emergency messages on all projectors simultaneously.
- Reduce maintenance time by automatically receiving emails for lamp replacements.



Download Crestron RoomView® Express software from: www.crestron.com/getroomview

RS232 CONTROL

The extensive RS232 command set makes it simple and easy to control the W307USTi with any control system.

AMX COMPATIBILITY – DYNAMIC DISCOVERY






PJ-LINK COMPATIBILITY



INSPIRE YOUR STUDENTS

Teaching in 3D is the latest innovation in education technology, opening up new avenues of learning for both educators and students alike. Engage and inspire your students with lessons taught in 3D – explore the world, travel through space, see inside the body and bring new ideas to life. Optoma 3D projectors take teaching to a whole new level of immersion and enjoyment... at no extra cost!



HOW DOES 3D WORK?

Using the inherent speed of DLP® technology, Optoma 3D Ready projectors can output video and images at an astonishing rate of 120Hz, allowing you to show full screen, full colour, stereoscopic 3D.

The 3D effect is generated by splitting this signal into two standard video streams, one for each eye. Using DLP® LinkTM technology, the 3D glasses synchronise with the image on screen to filter each stream to the correct eye. Your brain then combines the two streams to make them jump into life.


The X307UT supports multiple 3D formats from various devices such as PC, Blu-ray 3D $^{\rm TM}$, Sony® PS3, Microsoft® Xbox 360 or 3D TV broadcast systems.

3D Format	W307USTi		
Side -by-Side	Yes		
Top-and-Bottom	Yes		
Frame Packing	Yes		
Frame Sequential	Yes		

WHAT YOU NEED

- 1. Optoma W307USTi
- 2. Optoma DLP-Link 3D Glasses
- 3. Compatible 3D source device and software

For more information please visit **www.optoma.eu/3deducation**



TRUE HDMI

Project crystal clear images using the HDMI input. (v1.4 3D supported). Hassle-free projection from a widescreen computer/HD source with a single HDMI cable – no need for separate audio cables.

EASY LAMP REPLACEMENT

Direct and easy access to the lamp whist the projector is in situ.



AUDIO POWER

Use a microphone and the powerful built-in 10W speakers to capture your audience attention from anywhere within your classroom or meeting room.


The need for complicated and costly additional audio hardware and cabling is eliminated. Four audio inputs from individual computer and video devices enable the W307USTi to function as an audio switcher and volume controller.



Auto power off - if after a pre-determined time the projector does not receive a signal, it will turn itself off automatically, conserving power and extending the life of the lamp.


ENLARGE YOUR IMAGES

Use the digital zoom feature to explain the projected image in more detail.



PERFECT PROJECTION

Quickly adjust misaligned images with vertical keystone correction.



PROJECTION TILTING

For tabletop use as well as wall and floor projection.





W307USTI SPECIFICATIONS

W3070STI SPECIFIC					
Native Resolution Display Technology	WXGA 1280 x 800 Single 0.65" WXGA DC3 DMD chip DLP® Technology by				
Display IECHHUUYY					
Brightness - BRIGHT mode ¹	Texas Instruments 3500 ANSI Lumens				
Contrast	15,000:1				
Noise Level	30dB (Eco mode)				
Lamp Life ²	4000/3000 hours (Eco/BRIGHT mode)				
Projections Lens	F Number 2.6				
	Focus Length 7.35mm Focus / Zoom Type Manual Focus / 2.0x Digital Zoom Throw Ratio 0.35:1 (Projection Distance: Image				
Projection Dictance	Width)				
Projection Distance Image Size	0.45 - 0.75m				
Offset	1.53 – 2.54m (60.09" – 100.02") Diagonal 16:10 125% ±5%				
Weight / Dimensions (W x D x H)	7.5 kg / 357 x 367 x 231mm				
Remote Control	Remote with direct source selecting				
INPUTS	HDMI (HDCP) - audio supported 2 x 15 Pin D-Sub VGA Component via adaptor				
	2 x 15 Pin D-Sub VGA Component via adaptor				
	S-Video 4 Pin Mini Din				
	Composite RCA				
	2 x 3.5mm Audio Mini Jack In Audio computer input				
	2 x Stereo RCA Audio video input USB (Interactivity)				
	Microphone				
CONTROL	RJ45				
CONTINUE	RS232 - 9 Pin Mini DIN				
	RJ45 LAN control via Windows Internet Explorer,				
	Crestron RoomView and PJ Link				
OUTPUT	15 Pin D-Sub VGA				
	Audio Out - 3.5mm Mini Jack				
	+12v Trigger				
Audio	10W Speaker 16:10 Native, 16:9/4:3 Compatible				
Aspect Ratio	16:10 Native, 16:9/4:3 Compatible				
Keystone Correction On Screen Display	± 15° Vertical 12 Languages: English, German, French, Italian, Spanish,				
OII Screeti Display	Portuguese, Polish, Dutch, Russian, Swedish, Turkish &				
	Arahic				
Compatible Resolutions	Arabic UXGA, SXGA, WXGA, HD, XGA, SVGA PAL SECAM 576i/p, NTSC 480i/p, HD 720p/1080i/1080p				
Video Compatibility	PAL SECAM 576i/p, NTSC 480i/p, HD 720p/1080i/1080p				
Uniformity	85%				
Displayable Colours	85% 1.07 Billion				
Horizontal Scan Rate	15.3 - 91.1kHz				
Vertical Scan Rate	24 - 85HZ (120HZ for 3D)				
Power Supply	15.3 - 91.1kHz 24 - 85Hz (120Hz for 3D) 100 - 240V, 50 - 60Hz 345W BRIGHT mode < 0.5W Standby mode				
Power Consumption	285W Fco mode < 0.5W Standby mode				
Operating Conditions	285W Eco mode < 0.5W Standby mode Operating: 5 - 40°C, 85% Humidity (Max),				
operating conditions	3000m Altitude (Max)				
Security	Security Bar, Kensington Lock Port, Password Protection				
Standard Accessories	Lens Cover, AC Power Cord, VGA Cable, Interactive				
	Module, 2 x Interactive Pens, Interactive Software CD, USB				
	5m Cable, Full Function Remote, Batteries x 5, Quick Start				
Dallo	Guide, CD User Manual, Warranty Card, WEEE Card				
RoHS	Compliant				
Lamp Warranty	6 months or 1000 hours - whichever comes sooner				
Warranty	Warranty may vary by country. Please see www.optomaeurope.com or ask your local supplier for				
	details				
Colour Guarantee ³	5 Years				
3D Support	The 3D features of Optoma projectors can only be used				
ob oupport	with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3DTM and 3D games from the Sony® PS3 or				
	Microsoft® Xbox 360 are now supported as part of the				
00.15	HDMI v1.4a specification.				
3D Viewing Requires the Optoma DLP-Link shutterglasses					
- available separately.					
3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60					
	Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60				
	OVOI UNUUI. 1000PZ-1, 120PJU / 00				

Optoma Accessories				
Projector Wall Mount - Part number: OWM1000				
	Wall mount for the W307USTi Telescopic mount with height adjustment plate for versatile installation. Maximum projector image of 100" diagonal with the W307USTI.			
Lamp - Part number: SP.8UP01GC01				
	Optoma genuine lamp modules are designed and tested to work specifically with your Optoma projector to ensure quality, good performance and longevity.			
ZD301 - 3D Glasses				
6	Optoma DLP-Link glasses allow compatible content to be viewed in stunning stereoscopic 3D.			


EASY TO USE REMOTE CONTROL

W307USTi Remote Control

- 1 Source
- 2 Power
- Direct Input Source Selection 3
- 3D Control 4
- 5 Vertical Keystone Adjustment
- 6 AV Mute
- 7 Volume Control

W307USTi Connections

- 8 USB (Interactivity)
- 9 HDMI
- 10 VGA Out
- **11** VGA 1
- **12** RJ45
- 13 Audio In (VGA 1)
- 14 S-Video
- 15 Audio In (Video)
- 16 Audio In (S-Video)
- 17 Audio Out
- 18 Microphone
- 19 +12v Trigger **20** RS232
- 21 VGA 2
- 22 Audio In (VGA 2)







W307UST	W307USTi Projection Distance 0.45 - 0.75m (16:10 Aspect Ratio)							
Distance from screen to projector (m)	Projection Distance from mirror (m)	Horizontal Image Size (m)	Vertical Image Size (m)	Diagonal Image Size (m)	Diagonal Image Size (inch)	Image Offset (m)		
0.12	0.45	1.30	0.81	1.53	60.09	0.20		
0.193	0.53	1.51	0.94	1.78	70.04	0.24		
0.27	0.61	1.73	1.08	2.04	80.25	0.27		
0.306	0.64	1.83	1.14	2.16	85.03	0.29		
0.344	0.68	1.94	1.21	2.29	90.07	0.30		
0.419	0.75	2.15	1.35	2.54	100.02	0.34		

For guide purposes only

W307USTi is capable of 16:9 aspect ratio projection. When projecting a 16:9 image the image sizes, screen height and offset information will differ from the above.

Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

www.optoma.co.uk



TEXAS INSTRUMENTS